

Closures are listed from earliest to most recent

COASTAL			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
November 18/15	PERMANENTLY CLOSED	WEST COAST RESORTS – HOT TUB Louisa Cove, Bella Bella	Operating without a valid Permit A safety hazard exists (eg: suction hazard) A hazard exists that might compromise the general health of patrons (eg: air quality issue)
May 30/18	November 16/18	EAGLE’S NEST RESORT - HOT TUB 3008 Elsey Rd, Anahim Lake	Insufficient/excessive disinfectant residual
February 12/19	April 07/19	GLACIER LODGE NEAR SPA 4573 Chateau Blvd, Whistler	A hazard exists that may compromise the general health of patrons
January 21/21	February 05/21	LOST LAKE LODGE POOL 4660 Blackcomb Way, Whistler	A safety hazard exists (eg: suction hazard, electrical hazard)
April 07/21	April 15/21	SCANDINAVE SPA WHISTLER 8010 Mons Rd, Whistler	Communicable Disease
April 08/21	April 30/21	PAINTED BOAT RESORT LOWER HOT TUB 12849 Lagoon Rd, Madeira Park	Insufficient/ excessive disinfectant residual
April 08/21	April 30/21	PAINTED BOAT RESORT SPA HOT TUB 12849 Lagoon Rd, Madeira Park	Insufficient/ excessive disinfectant residual
April 08/21	April 30/21	PAINTED BOAT RESORT SPA POOL 12849 Lagoon Rd, Madeira Park	Insufficient/ excessive disinfectant residual
November 09/21	December 24/21	LOST LAKE LODGE POOL 4660 Blackcomb Way, Whistler	A hazard exists that may compromise the general health of the patrons
December 22/21	January 27/22	GLACIER LODGE NEAR SPA 4573 Chateau Blvd, Whistler	A hazard exists that may compromise the general health of the patrons
August 09/22	August 11/22	DELTA HOTELS BY MARRIOTT WHISTLER VILLAGE SUITES ROUND TUB 4308 Main St, Whistler	Insufficient/ excessive disinfectant residual
August 10/22	August 10/22	DELTA HOTELS BY MARRIOTT WHISTLER VILLAGE SUITES SWIMMING POOL 4308 Main St, Whistler	A hazard exists that may compromise the general health of patrons
November 22/22	December 07/22	NITA LAKE LODGE – LAKESIDE HOT TUB 2131 Lake Placid Rd, Whistler	A hazard exists that may compromise the general health of patrons
January 11/23	March 16/23	MOUNTAINSIDE LODGE SPA 4417 Sundial Place, Whistler	A safety hazard exists (eg: suction hazard, electrical hazard)
January 25/23	PENDING	WOODRUN LODGE SWIMMING POOL 4910 Spearhead Pl, Whistler	A hazard exists that may compromise the general health of patrons

Closures are listed from earliest to most recent

COASTAL			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
February 01/23	PENDING	WHISTLER TOWN PLAZA SPA 4314 Main Street, Whistler	A hazard exists that may compromise the general health of patrons

Closures are listed from earliest to most recent

NORTH SHORE			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
April 20/11	OPERATOR NOT PURSUING PERMITTING	WESTHILL VILLAS – WHIRLPOOL 2560 Westhill Close, West Vancouver	Insufficient/ excessive disinfectant residual
February 22/19	PERMANENTLY CLOSED	BOWEN ISLAND LODGE – HOT TUB 380 Cardena St, Bowen Island	Operating without a valid Permit
August 22/19	PENDING	BAYSIDE APARTMENTS 2085 Bellevue Ave, West Vancouver	Operating without a valid Permit
March 07/22	March 09/22	PINNACLE HOTEL AT THE PIER – SWIMMING POOL & HOT TUB 138 Victory Ship Way, North Vancouver	A hazard exists that may compromise the general health of patrons Recirculation system is not operational
November 09/22	November 18/22	CENTREVIEW HOT TUB 125 E 14 th St, North Vancouver	Insufficient/ excessive disinfectant residual
November 09/22	PENDING	AMICA AT WEST VANCOUVER POOL 659 Clyde Ave, West Vancouver	Insufficient/ excessive disinfectant residual

Closures are listed from earliest to most recent

RICHMOND			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
June 11/10	PENDING	WATER CUBE - SWIRL POOL #103 - 4411 No. 3 Rd	Operating without a valid permit
July 14/15	PENDING	CLIPPER COVE – POOL 8700 Granville Ave	A safety hazard exists (eg: suction hazard, electrical hazard)
August 16/17	September 1/17	PARK TOWERS “A” – SWIRL POOL 6651 Minoru Blvd	Insufficient/ excessive disinfectant residual Inadequately trained operator
June 07/19	June 17/19	PINNACLE LIVING – POOL 8633 Capstan Way	Insufficient/ excessive disinfectant residual
June 07/19	June 17/19	PINNACLE LIVING – WHIRLPOOL 8633 Capstan Way	Insufficient/ excessive disinfectant residual
February 27/20	PENDING	CANTERBURY COURT – INSIDE POOL 7431 Blundell Rd	A safety hazard exists (eg: suction hazard, electrical hazard)
March 29/22	March 30/22	SANDMAN SIGNATURE HOTEL – INDOOR POOL 10251 St Edwards Dr	Insufficient/ excessive disinfectant residual
April 21/22	PENDING	MERIDIAN COVE – WHIRLPOOL 2201 Pine St	Main drain is not clearly visible at bottom of pool Insufficient/excessive disinfectant residual
April 27/22	May 06/22	SANDMAN INN – SWIRL POOL 3233 St Edwards Dr	Insufficient/excessive disinfectant residual
August 03/22	August 10/22	LOTUS – INDOOR POOL & HOT TUB 7371 Westminster Hwy	Recirculation system is not operational
August 29/22	September 01/22	PINNACLE LIVING AT CAPSTAN VILLAGE 8633 Capstan Way	Insufficient/ excessive disinfectant residual
January 06/23	January 17/23	PERLA (HOT TUB) 8100 Saba Rd	Insufficient/ excessive disinfectant residual
January 17/23	January 18/23	SUNNYVALE – SWIRL POOL 770 St Albans Rd	Insufficient/ excessive disinfectant residual
February 10/23	March 02/23	MONACO AT THE PALM 7080 St Alban’s Rd	Insufficient/ excessive disinfectant residual
March 02/23	PENDING	LOTUS – HOT TUB 7371 Westminster Hwy	Insufficient/ excessive disinfectant residual Recirculation system is not operational

Closures are listed from earliest to most recent

RICHMOND			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
March 08/23	March 10/23	RIVA – WHIRLPOOL 5399 Cedarbridge Way	Insufficient/ excessive disinfectant residual

Closures are listed from earliest to most recent

VANCOUVER			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
March 03/16	PENDING	THE DELANO – WHIRLPOOL 3023 West 4th Ave	Insufficient/excessive disinfectant residual
December 05/17	PERMANENTLY CLOSED	GEC GRANVILLE – WHIRLPOOL 718 Drake St	Insufficient/excessive disinfectant residual Inadequately trained operator
August 13/21	PERMANENTLY CLOSED	VISTA-1 OUTDOOR POOL 3660 Fleming St	A hazard exists that may compromise the general health of patrons Recirculation system is not operational Inadequately trained operator No pool safety plan
December 08/21	September 09/22	LYNCROFT TOWERS INDOOR POOL 1414 Barclay St	A safety hazard exists (eg: suction hazard, electrical hazard) Insufficient/excessive disinfectant residual
January 19/22	February 11/22	EUROPA SWIMMING WHIRLPOOL 63 Keefer Pl	Insufficient/excessive disinfectant residual
February 09/22	September 09/22	CONFERENCE PLAZA – WHIRLPOOL 438 Seymour St	A safety hazard exists (eg: suction hazard, electrical hazard) Insufficient/excessive disinfectant residual
February 18/22	February 24/22	CITY GATE II – INDOOR WHIRLPOOL 1159 Main St	Insufficient/excessive disinfectant residual
March 01/22	March 02/22	GRANVILLE ISLAND HOTEL – WHIRLPOOL 1253 Johnston St	Main drain is not clearly visible at bottom of pool
March 28/22	July 07/22	GENESIS TOWER – WHIRLPOOL 1189 Howe St	A hazard exists that may compromise the general health of patrons Recirculation system is not operational
April 21/22	April 27/22	MERIDIAN COVE – WHIRLPOOL 2201 Pine St	Main Drain is not clearly visible at bottom of pool Insufficient/excessive disinfectant residual
May 02/22	May 03/22	HOTEL BLU – WHIRLPOOL 177 Robson St	Insufficient/excessive disinfectant residual
May 03/22	May 04/22	HAMPTON INN & SUITES – WHIRLPOOL 111 Robson St	Insufficient/excessive disinfectant residual
May 16/22	May 18/22	ESCALA – WHIRLPOOL 323 Jervis St	Insufficient/excessive disinfectant residual
June 28/22	PENDING	HEMLOCK TOWER OUTDOOR POOL 1385 W 15 th Ave	Operating without a valid permit

Closures are listed from earliest to most recent

VANCOUVER			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
June 29/22	PENDING	BEACH TOWERS – WHIRLPOOL 1600 Beach Ave	A safety hazard exists
July 14/22	July 26/22	ARBUTUS VILLAGE VR146 – OUTDOOR POOL 2101 McMullen Ave	A safety hazard exists that may compromise the general health of patrons
July 19/22	PENDING	THAMES COURT – OUTDOOR POOL 5880 Hampton Place	A safety hazard exists that may compromise the general health of patrons
July 20/22	September 22/22	CITY GATE 1- INDOOR POOL 1188 Quebec St	Insufficient/excessive disinfectant residual
July 21/22	PENDING	SHANNON WALL CENTRE – OUTDOOR POOL & WHIRLPOOL 1520 Atlas Lane	A hazard exists that may compromise the general health of patrons Recirculation system is not operational
August 09/22	PENDING	BALSAM GARDENS 5410 Balsam St	A hazard exists that may compromise the general health of patrons A safety hazard exists that may compromise the general health of patrons
August 18/22	August 31/22	THE CHATHAM – INDOOR POOL 5775 Hampton Place	Insufficient/excessive disinfectant residual
August 25/22	PENDING	CONCORDIA L - WHIRLPOOL 199 Drake Street Vancouver	Insufficient/excessive disinfectant residual
September 26/22	October 03/22	KING’S LANDING – WHIRLPOOL 420 Beach Crescent	Insufficient/excessive disinfectant residual
September 28/22	October 04/22	CONCORDIA II 139 Drake Street Vancouver	Insufficient/excessive disinfectant residual
October 05/22	October 12/22	THE CONCORD - INDOOR POOL 1328 Marinaside Crescent	Insufficient/excessive disinfectant residual
October 05/22	October 12/22	THE CONCORD – WHIRLPOOL 1328 Marinaside Crescent	Insufficient/excessive disinfectant residual
October 14/22	October 17/22	ST JAMES HOUSE – WHIRLPOOL 5835 Hampton Pl	Insufficient/excessive disinfectant residual
November 02/22	November 15/22	THE MARK – WHIRLPOOL 1372 Seymour St	Insufficient/excessive disinfectant residual

Closures are listed from earliest to most recent

VANCOUVER			
Closure Date	Re-open Date	Facility Name & Address	Reason for Closure
November 08/22	November 10/22	PACIFIC POINT I – INDOOR WHIRLPOOL 1331 Homer St	Insufficient/excessive disinfectant residual
December 09/22	December 21/22	THE STERLING - WHIRLPOOL 1050 Smithe St	Insufficient/excessive disinfectant residual
February 15/23	February 17/23	BERESFORD – INDOOR POOL 1221 Homer St	Insufficient/excessive disinfectant residual
February 24/23	PENDING	WOODWARDS HOT TUB 128 W Cordova St	A safety hazard exists that may compromise the general health of patrons