Lions Gate Hospital part of the Vancouver Coastal Health Authority	
Pulmonary Function Laboratory REQUEST FOR PULMONARY FUNCTION TESTS	
Patient demographics must be completed in full in order for appointment to be booked.	Phone: (604) 984-5888 Fax: (604) 984-3766
NAME:	PHONE:
PHN #: DATE OF BIRTH:	
APPOINTMENT: DATE: TIME:	
PHYSICIAN'S FAX #:	
PLEASE NOTE THIS IS A SCENT-FREE ENVIRONMENT. NO PE OTHER SCENTED PROD	
PLEASE REPORT TO REGISTRATION SERVICES	10 MINUTES PRIOR TO TEST
Infection Precautions?	
Supplemental Oxygen? 🗌 No 📋 Yes Specify:	
Ambulatory?	
Interpreter Required? No Yes Specify:	
CLINICAL INFORMATION:	
Test(s) required (Please check appropriate box):	
1. 🔲 Spirometry Pre/Post	
2. 🗌 Detailed PFT (includes spirometry, lung volumes, DLCO, RAW)
3. 🗌 Oximetry: Rest: Exertional:	
4. 🗌 Overnight Oximetry: Room Air: Oxygen:	L/min CPAP: cmH ₂ C
5. 🗌 ABG: Room Air: Oxygen:L/min	-
6. 🗌 Methacholine Challenge Test (A recent Pre and Post Spirometr	y is required prior to booking)
PLEASE SEE REVERSE FOR PATIENT INSTRUCTIONS	
7. 🗌 Maximum Inspiratory and Expiratory Pressures	
8. 🗌 Other:	

TEST 1, 2 AND 6 – SEE REVERSE FOR INSTRUCTIONS

Ordering Physician's Name

Physician's Signature

Date

INSTRUCTIONS TO DOCTOR'S OFFICE:

- 1. Please fax completed requisition to 604-984-3766 Lions Gate Hospital, Respiratory Therapy.
- 2. Information required:
 - Patient's name, date of birth and PHN, gender.
 - Diagnosis and/or clinical information
 - Patient's telephone numbers; home and cell
 - Most recent hemoglobin (if available): abnormal hgb affects DLCO result
 - Physician's fax number

INSTRUCTIONS TO PATIENT:

Tests 1 and 2 (Spirometry, detailed PFT)

- Do not use short-acting bronchodilators (Ventolin, Salbutamol, Bricanyl) for at least 4 hours prior to your test unless absolutely necessary. Long-acting bronchodilators and combination medications (Serevent, Oxeze, Advair, Symbicort) should be withheld for at least 12 hours.
- The detailed pulmonary function test takes approximately 45 minutes. You will be in a sitting position for the duration of the test, which consists of a series of breathing tests (fast, slow, breath-holding, etc.) A bronchodilator will be given during the test.

Test 6 (Methacholine Challenge Test)

- This test will help to determine if you have asthma. Please withhold the following medications as outlined below:
 - Short-acting bronchodilators (Ventolin, Airomir, Salbutamol, Bricanyl) should not be taken 8 hours prior to test
 - Long-acting bronchodilators and combination medications (Oxeze, Serevent, Advair, Symbicort, Onbrez, Zenhale, BRIO, Anoro, Theodur, Uniphyl, Foradil) should not be taken 48 hours prior to test.
 - Singulair withhold for 24 hours.
 - Continue to use corticosteroid medications as normal (Flovent, Pulmicort, Alvesco, Prednisone, Asmanex, Qvar)
 - Avoid caffeine for 8 hours prior to test.
 - Avoid for 7 days Spiriva, Seebri, Tudorza
- A series of mists will be administered to you, which you will breathe in through a mouthpiece. Following each
 mist, your airway response will be measured by having you forcibly exhale into a measuring device. You may
 experience coughing, chest tightness, wheezing, and/or shortness of breath. Do not be alarmed. When the test
 is finished, you will be given a bronchodilator inhaler to help relieve these symptoms. Please note that most
 patients experience NO reactions whatsoever to the test.