# HEALTHY RICHMOND 2012 FACT SHEET

# TOBACCO USE



Prepared by the Public Health Surveillance Unit Vancouver Coastal Health Authority February 2013

For further information, please contact: phsu@vch.ca





## HEALTHY RICHMOND 2012 FACT SHEET

# KEY MESSAGES

CIGARETTE SMOKING AMONG ALL RICHMOND RESIDENTS (AGED 18 YEARS AND OLDER):

- 7.67 ± 0.99% of Richmond's adult population (equates to 11,946 residents) are current cigarette smokers<sup>1</sup>.
- Among the neighbourhoods in Richmond, Steveston has the lowest smoking rate (6.2 ± 2.3%) and Shellmont has the highest smoking rate (9.7 ± 5.5%).
- The smoking rate among males (10.3  $\pm$  1.8%) is significantly higher than the smoking rate among females (5.3  $\pm$  1.0%).
- Smoking rates decrease with increased educational attainment.
- Those who are unemployed have a significantly higher smoking rate (15.3  $\pm$  5.4%) than the rest of the population.
- The smoking rate among those of visible minority<sup>2</sup> (6.2  $\pm$  1.1%) is significantly lower than the smoking rate among those not of visible minority (10.5  $\pm$  1.9%).

CIGARETTE SMOKING AMONG YOUNG ADULTS IN RICHMOND (AGED 18 TO 29 YEARS):

- 11.3 ± 2.9% of Richmond's young adult population are current cigarette smokers.
- The smoking rate among young adults of visible minority (8.7  $\pm$  2.8%) is significantly lower than the rate among young adults who are not of visible minority (21.6  $\pm$  8.8%).
- Young adults who are students have lower smoking rates than those who are working.

CIGARETTE SMOKING AMONG RICHMOND'S IMMIGRANT POPULATION:

• The smoking rate among those born outside of Canada (6.2%) is significantly lower than the smoking rate among those Canadian born (10.2%).

#### OTHER TOBACCO USE:

- Six percent of Richmond residents have used tobacco products other than cigarettes in the past year. This rate is 2.5% among those who have never smoked cigarettes, 9.5% among those who are past cigarette smokers and 24.4% among current smokers.
- The use of other tobacco products is highest among young adults aged 18 to 29 years (13.7 ± 3.4%). In particular, 9.0 ± 2.87% of young adults report having used a hookah/ water pipe/shisha in the past year.

#### SECOND HAND SMOKE EXPOSURE:

- Nineteen percent (± 1.5%) of all Richmond residents report that they are exposed to second hand smoke every day or almost every day (17.3 ± 1.5% among non-smokers).
- The most common locations for second hand smoke exposure are: outdoor public venues (e.g. parks, sidewalks) at 9.8%, home at 5.6% and transit shelters or bus stops at 5.5%.


#### TOBACCO & HEALTH:

- Current smokers report lower health status and sense of community belonging.
- Among current smokers, 55.1% (± 6.8%) reported that they had at least one quit attempt in the past year.

<sup>1</sup>Current smoker refers to daily or occasional cigarette smokers.

<sup>2</sup>Visible minority is defined by Statistics Canada as those persons who are non-Caucasian or non-white in colour

HEALTHY RICHMOND 2012 FACT SHEET - CIGARETTE USE BY NEIGHBOURHOOD							
	Current Smokers Prevalence ± 95% Cl		Past Smokers Prevalence ± 95% CI		Never Smoked Prevalence ± 95% Cl		
Richmond	7.67 ± 0.99%		28.2 ± 1.68%		64.6 ± 1.80%		
Blundell	7.9 ± 2.9%		25.2 ± 2.9%		66.8 ± 5.2%		
Bridgeport	*		*		*		
Broadmoor	7.3 ± 2.7%		29.8 ± 4.7%		63.0 ± 5.1%		
City Centre	9.3 ± 2.0%		25.2 ± 3.1%		65.5 ± 3.3%		
East Cambie	9.3 ± 5.4%		23.3 ± 8.1%		67.4 ± 8.9%		
East Richmond/ FL	*		22.5 ± 11.3%		69.6 ± 12.2%		
Gilmore	*		*		*		
Hamilton	*		*		*		
Seafair	8.2 ± 3.8%		28.6 ± 5.5%		63.3 ± 6.0%		
Sea Island	*		*		*		
Shellmont	9.7 ± 5.5%		31.6 ± 8.2%		58.7 ± 8.8%		
Steveston	6.2 ± 2.3%		35.9 ± 4.7%		58.0 ± 4.9%		
Thompson	6.4 ± 3.2%		33.2 ± 6.5%		60.4 ± 6.6%		
West Cambie	*		14.5 ± 8.6%		83.6 ± 8.8%		




Canadian Community Health Survey 2009-2010 (age 12+) reports overall smoking rate for Richmond of 18.5 % (12.9% - 24.1%), rate of past smokers of 22.6% (16.8% - 28.4%) and rate of never smokers of 59.0% (51.4% - 66.6%). BC Stats Community Health, Education and Social Services Survey 2008 (age 15+) reports overall smoking rate for Richmond of 11.8% (7.4% - 16.2%) Canadian Tobacco Use Monitoring Survey 2010 (age 15+) reports overall smoking rate for BC of 14.3% (12.2% - 16.3%) Note: \* Data suppressed due to small numbers. Prepared by the Public Health Surveillance U

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 3 of 8


HEALTHY RICHMOND 2012 FACT SHEET - CIGARETTE USE BY AGE & SEX							
	Current Smokers Prevalence ± 95% CI		Past Smokers Prevalence ± 95% CI		Never Smoked Prevalence ± 95% CI		
Richmond	7.67 ± 0.99%		28.2 ± 1.68%		64.6 ± 1.80%		
Male	10.3 ± 1.8%		33.3 ± 2.8%		56.4 ± 2.9%		
Female	5.3 ± 1.0%		23.5 ± 2.0%		71.2 ± 2.1%		
18 to 29 years	11.3 ± 2.9%		14.9 ± 3.3%		73.8 ± 4.1%		
30 to 39 years	7.3 ± 2.5%		25.9 ± 4.4%		66.9 ± 4.8%		
40 to 49 years	7.8 ± 2.2%		28.9 ± 3.8%		63.3 ± 4.0%		
50 to 59 years	8.1 ± 2.0%		29.8 ± 3.6%		62.2 ± 3.8%		
60 to 69 years	5.4 ± 2.0%		37.7 ± 4.3%		56.9 ± 4.3%		
70+ years	2.6 ± 1.7%		43.5 ± 5.6%		53.9 ± 5.6%		
						1	

Rates of current cigarette smokers among Healthy Richmond survey respondents, by age category and sex (weighted percentages)




Young adult cigarette smoking (18 to 29 years):  $11.3 \pm 2.91\%$  (equates to 3571 young adults in Richmond)Born in Canada:  $13.0 \pm 5.1\%$ Not a visible minority:  $21.6 \pm 8.8\%$ Employed:  $13.2 \pm 4.2\%$ Born outside of Canada:  $10.2 \pm 3.5\%$ Visible minority:  $8.67 \pm 2.8\%$ Student:  $7.01 \pm 3.4\%$ 

Other categories had too few observations Prepared by the Public Health Surveillance Unit, VCH





Rates of cigarette smoking among Healthy Richmond respondents by employment status (above) and highest level of education attained (below), weighted %



Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 5 of 8

HEALTHY RICHMOND 2012 FACT SHEET - CIGARETTE USE AND IMMIGRATION									
		Current S Prevalence			Past Sm Prevalence			Never S Prevalence	
Richn	nond	7.67 ± 0	).99%		28.2 ±	1.68%		64.6 ±	1.80%
Born in Ca	anada	10.2 ± 1	1.9%		39.6 ±	3.1%		50.3 ±	3.2%
Born outside Ca	anada	6.2 ± 1	2%	.2% 21.6 ± 2.0%			72.2 ± 2.1%		
	Non visible minority 10.5 ±								
Visible mi	nority	6.2 ± 1	1%	19.4 ± 1.9%			74.5 ± 2.1%		
Chinese ethnicity*       6.2 ± 2         Note: Chinese ethnicity       idenfied as priority for analysis		.4%		15.9 ±	2.1%		77.9 ±	2.4%	
30 to 39 years: 40 to 49 years: 50 to 59 years: 60 to 69 years:	8.8 ± 3.49 6.0 ± 3.39 6.3 ± 3.09 4.3 ± 2.49 6.0 ± 3.59	- /6 /6	Sex Male: 9.4 Female: 2.9 Born in Cana	ada: !	2%	Time in Canad Immigrated 0 Immigrated 5 Immigrated 1 Immigrated 2 Immigrated 2 Immigrated 2	to 4 to 9 0 to 2 5 to 2	years ago: 14 years ago: 19 years ago: 24 years ago:	$9.1 \pm 4.9\%$ $6.0 \pm 4.5\%$ $8.0 \pm 4.3\%$ $5.9 \pm 2.7\%$ $4.3 \pm 2.8\%$ $6.2 \pm 3.4\%$





Note: CCHS 2009-2010 (age 12+) reports current smoking rate of 20.0% among non-visible minority population and 17.5% among visible minority population, past smoker rate of 37.0% among non-visible minority population and 13.3% among visible minority population and never smoked rate of 43.0% among non-visible minority population and 69.2% among visible minority population


Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 6 of 8

## HEALTHY RICHMOND 2012 FACT SHEET - OTHER TOBACCO USE

Participants were asked which other tobacco products, if any, they had used in the past year

Total using other tobacco	6.1%	<ul> <li>Other tobacco use among:</li> </ul>	
Electronic cigarette	1.1%	Current smokers	24.4%
Hookah/water pipe/shisa	2.1%	Past smokers	9.5%
Chewing tobacco	0.3%	Never smoked	2.5%
Gutka	0		
Snuff	0	Men	10.0%
Snus	0	Women	2.6%
Pipe	0.5%		
Cigar	3.8%	Visible minority	7.6%
Cigarillo	1.4%	Non visible minority	5.3%

#### Prevalence of tobacco use other than cigarettes among Richmond residents, by age category



Other tobacco use among young adults (18 to 29 years): 13.7% ± 3.4%

Electronic cigarette:  $3.2 \pm 1.9\%$ Hookah/Water pipe/Shisha:  $9.0 \pm 2.9\%$ Other tobacco types did not have sufficient observations Cigar: 6.5 ± 2.5% Cigarillo: 3.9 ± 2.1%

> Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 7 of 8

## HEALTHY RICHMOND 2012 FACT SHEET - SECOND HAND SMOKE EXPOSURE

Do you experience second hand smoke exposure every day or almost every day?

Yes 19.2 ± 1.5% among all residents (29,904 residents); 17.3 ± 1.5% among non-smokers
No 80.6 ± 1.5% among all residents (125,539 residents); 82.7 ± 1.5% among non-smokers

		Who?		
ents/No	n-smokers			
.6%	3.9%		Male	21.5 ± 2.4%
.4%	0.9%		Female	17.2 ± 1.8%
.5%	5.1%			
.3%	4.0%		,	27.2 ± 4.1%
.8%	9.2%	30	0 to 39 years	16.8 ± 3.8%
.7%	1.4%	40	0 to 49 years	19.8 ± 3.2%
.5%	2.1%	50	0 to 59 years	18.0 ± 3.1%
.8%	2.9%	6	0 to 69 years	14.4 ± 3.1%
			70+ years	13.6 ± 3.5%
	.6% .4% .5% .3% .8% .7% .5%	.5% 5.1% .3% 4.0% .8% 9.2%	nts/Non-smokers .6% 3.9% .4% 0.9% .5% 5.1% .3% 4.0% .8% 9.2% .7% 1.4% .5% 2.1%	Ints/Non-smokersMale.6%3.9%Male.4%0.9%Female.5%5.1%3%4.0%18 to 19 years.8%9.2%30 to 39 years.7%1.4%40 to 49 years.5%2.1%50 to 59 years.8%2.9%60 to 69 years

Note: **BC Stats Community Health, Education and Social Services Survey 2008** (age 15+) reports the following second hand smoke exposure frequencies for Richmond non-smokers: Home: 2.4 (± 2.0)%, Vehicle: sample size too small, At work: 7.6 (± 4.4)%, Enclosed public space: 8.7 (± 5.0)%, Outdoor public space: 21.9 (± 6.8)%,

### HEALTHY RICHMOND 2012 FACT SHEET - TOBACCO & HEALTH

	Current Smokers Prevalence ± 95% CI		Past Smokers Prevalence ± 95% CI		Never Smoked Prevalence ± 95% Cl			
At least one quit attempt in the past year	55.1 ± 6.8%		N/A		N/A			
Self reported health status								
Excellent	7.01 ± 3.4%		15.2 ± 2.5%		12.8 ± 1.6%			
Very Good	26.2 ± 6.1%		32.0 ± 3.3%		29.4 ± 2.2%			
Good	38.6 ± 6.7%		35.7 ± 3.4%		38.1 ± 2.3%			
Fair	23.3 ± 5.7%		14.2 ± 2.5%		16.3 ± 1.7%			
Poor	4.8 ± 2.6%		2.92 ± 1.0%		3.5 ± 0.9%			
Total	100%		100%		100%			
Sense of community belonging								
Very strong	18.4 ± 5.1%		28.7 ± 3.2%		25.1 ± 1.9%			
Somewhat strong	46.3 ± 7.0%		46.2 ± 3.6%		52.5 ± 2.4%			
Somewhat weak	25.5 ± 6.2%		18.4 ± 2.8%		16.2 ± 1.8%			
Very weak	9.79 ± 3.9%		6.7 ± 1.8%		6.2 ± 1.2%			
Total	100%		100%		100%			
	Prenared by the Public Health Surveillance Unit VCH							

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 8 of 8

## HEALTHY RICHMOND 2012 FACT SHEET - APPENDIX I

#### BACKGROUND:

Vancouver Coastal Health Public Health, in partnership with the City of Richmond, conducted a health and wellness survey for the residents of Richmond, British Columbia to determine their general health and well-being and to support the evaluation of the Richmond Community Wellness Strategy. (http://www.richmond.ca/services/socialplan/wellness.htm)

#### FAST FACTS:

- The survey was conducted from Friday, February 24, 2012 to Sunday, March 4, 2012.
- The survey was offered online and was supplemented by field surveyors.

• Field surveyors offered the survey in English, Cantonese and Mandarin. The online version of the survey was offered in English only.

- Field surveyors were stationed at 25 locations throughout Richmond.
- Responses were weighted by age, sex and neighbourhood, post-collection.

	Number of respondents	Weighted percent (%)
Total Respondents	3639	100
Age		
18 to 19	94	3.4
20 to 29	481	16.8
30 to 39	473	16.4
40 to 49	699	22.1
50 to 59	775	20.3
60 to 69	574	10.6
70 to 79	285	6.8
80+	103	3.7
Sex		
Male	1344	47.1
Female	2142	52.9
Neighbourhood		
Blundell	356	10.1
Bridgeport	55	1.5
Broadmoor	444	13.1
City Centre	920	23.6
East Cambie	142	5.7
East Richmond/Fraser Lands	85	2.0
Gilmore	20	0.2
Hamilton	71	2.4
Sea Island	17	0.3
Seafair	293	9.3
Shellmont	161	5.5
Steveston	516	13.9
Thompson	259	8.8
West Cambie	105	3.8

TABLE A1: Demographic characteristics of Healthy Richmond sample

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page AI